

**MEETING #40: NOTICE & AGENDA
IMPLEMENTATION ADVISORY COMMITTEE (IAC) FOR
HARBORVIEW MEDICAL CENTER**

Date: Thursday, February 2, 2023
Time: 6:00 – 8:00 PM
Location (In-person): Harborview Medical Center
 Boardroom GCT-27
 (Across from the Gift Shop, very close to the 8th Ave Lobby)
 325 9th Ave., Seattle, WA 98104

Virtual: [Webex Link](#)
Dial-in / Access Code: 1-206-207-1700 / 2496 293 1377

This meeting will be recorded. Recorded minutes are available upon request.

You may submit written public comment at any time. We encourage you to submit written comments well in advance of the meeting to give the Committee sufficient time to review them. If you would like to ensure that your written comments are forwarded to the Committee prior to the meeting, please submit your comments to dipti.garg@seattle.gov no later than 3:30 pm the day prior to the meeting.

PUBLIC COMMENTS: Sign-up to provide verbal public comments at the meeting [here](#).

This group advises the City of Seattle and Harborview Medical Center on issues related to the design and construction of new buildings and other projects proposed under the City-adopted Harborview Medical Center Master Plan.

Time	Topic	Presenter
6:00 PM	Welcome and Introductions	DON
6:10	Housekeeping	DON
6:15	Committee Orientation	DON
6:25	2000 MIMP Review	Ted Klainer, Harborview
6:30	2014 Minor Amendment	Ted Klainer, Harborview
6:40	2020 Bond Measure Program Overview	Leslie Harper-Miles, King County
7:00	Public Comments	Public
7:10	Committee Deliberation	Committee
8:00 PM	Adjournment and scheduling of next meeting	DON

Not all agenda items were known at the time of the mailing of this notice and agenda, and items may be added or deleted, and their order on the agenda changed, prior to, and at the start of, the meeting.

All IAC meetings are open to the public. Persons interested in any of the topics on the agenda are encouraged to attend. Public comments on agenda items are encouraged time permitting.

For more information contact Dipti Garg (206) 684-5613.