




Title Water Quality Laboratory Analysis Charges	Number FIN-220.3	Rev. no. 3
Responsibility Finance Division	Supersedes N/A	Pages 3
General Manager/CEO signature  <small>Andrew Lee (Dec 9, 2022 16:38 PST)</small>	Approval date Dec 9, 2022	Effective date January 1, 2023

1. PURPOSE

To set fees for Water Quality Laboratory services provided by Seattle Public Utilities. These fees apply to laboratory services performed for other water districts, wholesale customers (outside of contract), and others as determined by the Water Quality Laboratory Manager.

2. RULE

All laboratory analyses will be conducted at the discretion of the Water Quality Laboratory Manager and based on time availability. The prices listed below reflect the cost for a routine analysis with standard reporting and turnaround times. The price for investigative analyses will be based on time and materials as determined by the Water Quality Laboratory Manager.

Bacteriological Analysis	
Aeromonas	\$30
Biolog	\$195
Total Coliform (MF)	\$30
Total Coliform (MPN)	\$27
Total Coliform/E. Coli (MMO/MUG; P/A)	\$19
Coliform Verification; including Fecal Coliform/E. Coli (EC/MUG) *	\$39
Fecal Coliform (MF)	\$32
Fecal Strep (Enterococcus)	\$38
Heterotrophic Plate Count (HPC)	\$34
Heterotrophic Plate Count (HPC) – R2A	\$37
Sample prep for non-drinking water (filter/dilutions)	\$26

* This test is performed on drinking water samples that test positive for Total Coliform by the membrane filtration method. It is used to verify the presence of Total Coliform and simultaneously test for Fecal Coliform and E. Coli.

Chemical Analysis

Metals/Inorganics	
Digestion for non-drinking water samples	\$26
ICPMS (per element)	\$27
10 or more elements	\$270
ICPMS Mercury	\$62
Metals Filtration	\$24

Titrations	
Total Alkalinity	\$26
Alkalinity Phenol	\$26
Calcium or Hardness, EDTA	\$27

Organics	
DBP Formation/Simulate Distribution System (Prep only)	\$98
Haloacetic Acids (HAAs)	\$206
Dissolved Organic Carbon (DOC)	\$52
Total Organic Carbon (TOC)	\$38
Total Trihalomethanes (THMs)	\$98
Volatiles (VOC)	\$324

Nutrients	
Nitrate-Nitrite	\$38
Nitrate	\$38
Nitrite	\$38
Total Nitrogen	\$59
Total Phosphorus	\$59
Silica	\$32
Ortho Phosphate	\$38

Other Chemical Analysis	
Chlorine Demand	
(a) Single contact time at the requested temperature, pH, and Cl ₂ dosage.	\$141
(b) For each additional contact time, temperature, pH or Cl ₂ dosage on the same water source.	\$66
Chlorine Residual, colorimetric (field)	\$15
Color	\$14
Fluoride (potentiometric)	\$22
Microscopic Exam (for investigations)	\$91
pH (potentiometric)	\$23
Seepage (minimum - or sum of parameters tested)	\$75
Solids, Total Suspended	\$50
Solids, Total Dissolved	\$50
Specific Conductance	\$17
Turbidity	\$14
UVA (254-545)	\$22

Limnological Analysis	
Algal Toxins	\$144
Flavor Profile Analysis (FPA) and Flavor Rating Assessment (FRA)	\$88
Phytoplankton	\$83

Other Charges	
Sample Collection (per hour charge)	\$92

3. AUTHORITY/REFERENCES

SMC 21.04.465, Standard, connection, and administrative charges